

SYDNEY

25 – 27 Green St
East Botany, NSW 2019
Ph: +61 2 9666 3788
Fax: +61 2 9666 4805

MELBOURNE

29 Trade Place
Vermont, VIC 3133
Ph: 03 9872 4033
Fax: 03 9872 4099

BRISBANE

Unit 6/5 Deakin Street
Brendale, QLD 4500
Ph: 07 3205 8510
Fax: 07 3205 9616

SINGAPORE

H.K. Moey
9 Elias Terrace
Singapore 519772
Ph: +65 6582 8103
Fax: +65 6584 8100
Mobile: +65 9751 0026



TECHNICAL DATA

DOP

PLASTICIZER

DOP (Commonly known as dicetyl phthalate) is a clear, anhydrous and almost odourless liquid.

PRODUCT SPECIFICATION

Appearance	Colourless oily liquid
Acid Value (mm KOH/g max)	0.07
Density at 20°C (g/m³)	0.983 - 0.985
Viscosity @ 20°C (mPas)	77 - 82
Mass fraction of water (%)	0.05

Based on toxicity studies, **DOP** has a low order of toxicity and does **NOT** require special handling. Handle in accordance with good industrial hygiene and safety practices.



This information is of general nature and is supplied without recommendation of guarantee. It does not make claim to be free from patent infringement. Properties shown are typical and do not imply specification tolerances. Era Polymers cannot accept liability for loss or damage through use. Whilst these technical details are based on expert knowledge, practical experience and laboratory testing, successful application depends upon the nature and conditions in which the products are supplied. Users must, by comprehensive testing, evaluate this product in their own application.